EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	(file near4 used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L2	19	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas") not L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L3	506	(file with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L4	285	((create or make or build) with (directory or folder) near structure) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L5	10	((create or make or build) with (directory or folder) near structure) same project and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L6	29	((create or make or build) with (directory or folder) near structure) same project not L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L7	156	((directory or folder) with structure) same project and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04

EAST Search History

L8	11	(file with used with (creat$3 or mak$3 or build$3 or generat$3) same (directory or folder) near2 (structure or tree)) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L9	87	((directory or folder) near structure) same project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L10	5	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near2 (structure or tree)) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L11	491	((directory or folder) with structure) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L12	3	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) with project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L13	39	((creat$3 or mak$3 or build$3 or generat$3) same (directory or folder) near2 (structure or tree)) same project with manage$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L14	42	((directory or folder) near structure) with project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04

EAST Search History

L15	15	((creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) with project and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L16	321	(file near4 (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L17	120	((directory or folder) near4 structure) same project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L18	230	(file near2 (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L19	39	((create or make or build) with (directory or folder) near structure) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L20	105	((directory or folder) near2 structure) same project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L21	4	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04

L22	970	((creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707". clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L23	2286	(creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L24	1596	report near2 generat$3 same model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L25	35	L24 and L23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L26	125	report near2 generat$3 with model and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L27	321	(file near4 (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L28	3	L26 and L27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04

L29	276	report near2 generat$3 same model and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
L30	94	report near generat$3 with model and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:04
S2	449	((directory or folder) with structure) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:25
S3	120	((directory or folder) with structure) same project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:25
S4	92	((directory or folder) near4 structure) same project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:25
S5	80	((directory or folder) near2 structure) same project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:25
S6	65	((directory or folder) near structure) same project and ("707".clas. or "705. clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:25

S8	30	((directory or folder) near structure) with project and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:33
S9	6	((create or make or build) with (directory or folder) near structure) same project and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:35
S10	219	((create or make or build) with (directory or folder) near structure) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:37
S11	31	((create or make or build) with (directory or folder) near structure) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:36
S12	25	((create or make or build) with (directory or folder) near structure) same project not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:37
S14	721	((creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:41
S15	10	((creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) with project and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:40

S16	372	(file with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:41
S17	238	(file near4 (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:38
S18	172	(file near2 (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:42
S19	18	(file near4 used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:44
S21	19	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas") not S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:46
S22	2	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) with project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:47
S23	2	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:48

S24	3	(file with used with (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near2 (structure or tree)) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:49
S25	9	(file with used with (creat$3 or mak$3 or build$3 or generat$3) same (directory or folder) near2 (structure or tree)) same project	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 16:51
S26	33	((creat$3 or mak$3 or build$3 or generat$3) same (directory or folder) near2 (structure or tree)) same project with manage$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:37
S27	1446	report near2 generat$3 same model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:40
S28	213	report near2 generat$3 same model and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:37
S29	99	report near2 generat$3 with model and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:37
S30	77	report near generat$3 with model and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:38

EAST Search History

S31	238	(file near4 (creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)) and ("707".clas. or "705.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:39
S32	3	S29 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:39
S33	2035	(creat$3 or mak$3 or build$3 or generat$3) with (directory or folder) near (structure or tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:40
S34	35	S27 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 08:40